

floor standing speaker SA XP60



SA XP60 is available in black and white

floor standing speaker SA XP60:

cool design and big sound

It takes up only 20 x 20 cm on your floor, but the elegant SA XP60 fills the room with sound, thanks to the powerful technology behind the discrete exterior.

SA XP60 is designed for small and medium-sized rooms where the speakers can be used together with a music system or a home theatre of good quality. Here, SA XP60 will impress you with its pure and big sound.

both discreet and unique

SA XP60 stands in your room as a super simple piece of furniture without decoration. Seen from above the speaker is square with softly rounded edges. Finish is a special type fabric pulled around the speaker. A design that stands out from the crowd.



award-winning sound and design



Ole Witthøft founded System Audio A/S in 1984 and has won numerous awards and tests for the SA speakers unique combination of sound, design and technology. The simple design philosophy is to use resources where it makes a difference to the user, minimize waste and decoration. In short: less is more.



**six drive units
ensure the sound quality**

Behind the cool facade of SA XP60 lies a three-way speaker with four 4" woofers, a 4" midrange and a 1" tweeter. Both midrange and tweeter are working each in their own separate chamber. On the speaker front, you will also find the bass reflex tube that provides the deep bass.



XP - what does it mean?

XP means explorer which is the name of the SA top model.

technical specifications

| | | | |
|-----------------------|---------------------------|--|--|
| | floor standing | magnetic shielding | yes |
| power handling | 250 Watt | recommended amplifier | min. 50 Watt |
| frequency range | 40 – 35.000 Hz (+/- 3 dB) | sand chamber | - |
| impedance | 8 ohm | packing | individually |
| sensitivity (1W / 1m) | 89 dB | weight loudspeaker (kgs) | 15,3 |
| crossover network | 700 / 3000 Hz (24dB/oct.) | dimensions (WxHxD) cm | 20 x 110 x 20 |
| built-in amplifier | - | packing dimensions (WxHxD) cm | 30 x 118 x 28,5 |
| input voltage | - | shipping weight (kgs) | 13,2 |
| tweeter | 1 pcs. 1" T2504XS | recommended placement | floor, 30 cm from backwall |
| woofer | 4 pcs. 4,5" W1108XL | 2 years factory warranty from purchase date* | yes |
| midrange | 1 pcs. 4,5" W1108XL | included accessories | 8 spikes with nuts and spike pad, 8 rubber feet |
| principle | 3 way bass reflex | | |